Volume 5
1980

TRANSITION METAL CHEMISTRY

An International Journal

Advisory Board

P. Chiusoli (Parma, Italy)
Y. Jeannin (Paris, France)
J. Lewis (Cambridge, England)
G. and S. Olivé (Research Triangle Park, North Carolina, U.S.A.)
L. Markó (Veszprém, Hungary)
G. Wilke (Mülheim, Germany)
A. Yamamoto (Tokyo, Japan)

Editor-in-Chief

Dr. D. R. M. Walton
School of Molecular Sciences
University of Sussex
Brighton BN1 9QJ, England
Tel. Brighton (0273) 606755

Editorial Committee

R. J. H. Clark (London)
R. D. Gillard (Cardiff)
M. Green (Bristol)
M. Green (York)
W. P. Griffith (London)
M. B. Hursthouse (London)
B. F. G. Johnson (Cambridge)
J. A. McCleverty (Sheffield)
D. M. P. Mingos (Oxford)
B. L. Shaw (Leeds)
M. V. Twigg (Billingham)

Published by

verlag chemie

Publishers of the
Gesellschaft Deutscher Chemiker

Verlag Chemie GmbH
P. O. Box 1260/1280
D-6940 Weinheim
Federal Republic of Germany

Tel. (06201) 14031
Telex 465516 vchwh d

Digitized by the Internet Archive
in 2023 with funding from
Kahle/Austin Foundation

https://archive.org/details/transition-metal-chemistry_1980_5_index

Author Index

The annual author and keyword indexes were prepared by the Chemical Abstracts Service. Accordingly, abbreviations occurring in the index entries are those regularly used in Chemical Abstracts.

Aarts, A. J. Gold(I) complexes of thioamides. 10
Abello, L. Preparation and characterization of a glycyl-L-methioninatocopper(II) complex. 120
Abuo-Taleb, M. A. Coordination compounds of hydrazine derivatives with transition metals. Part 20. Nickel(II) chelates with o-hydroxy and o-methoxybenzaldehyde aroylhydrazones. An example of coordination isomerism. 168
Agarwal, R. K. Thorium(IV) and zirconium(IV) complexes of oxygen donor ligands. Part 6. Thorium(IV) complexes of 2,6-lutidine N-oxide and tetramethylene sulfoxide. 95
Agarwal, R. K. Thorium(IV) and zirconium(IV) complexes of oxygen donor ligands. Part 12. Thorium(IV) complexes of mono N-oxides of 2,2'-bipyridine and 1,10-phenanthroline. 237
Ahuja, I. S. Complexes of some bivalent metal salts with benzo(f)quinoline. 206
Ahuja, I. S. Infrared spectral evidence for equatorially eight-coordinate uranyl ion. 303
Ahuja, I. S. Complexes of some bivalent cobalt, nickel, copper, zinc, cadmium and monovalent silver salts with 4,4'-bipyridyl N,N'-dioxide. 373
Aldoshina, M. Z. Radical-cation salts of dibenzotetrathiafulvalene with inorganic anions: $[ReCl_6]^{2-}$ and $[Pt(Me_2S)Br_5]^-$. 63
Alexander, R. D. Kinetics of substitution on chloro-1,1,7,7-tetraethyldiethylenetriaminegold(III) in methanol-water mixtures. 108
Alwan, A. K. Mineral formation from aqueous solution. Part III. The stability of aurichalcite, $(Zn,Cu)_5(CO_3)_2(OH)_6$, and rosasite, $(Cu,Zn)_2(CO_3)(OH)_2$. 3
Anagnostopoulos, A. Iron(II) and iron(III) complexes of 2,4-dithiobiuret. 52
Andreetti, G. D. Benzoylation of methyl acrylate. Crystal and molecular structure of (methyl-3-benzoylacrylate)bis(triphenylphosphine)nickel(0) benzene (1:1) solvate. 129
Angeles Garralda, M. Cationic rhodium(I) diolefin complexes. 65
Antropiusova, H. The mechanism of $\mu(\eta^5{:}\eta^5$-fulvalene)-di-μ-chloro-bis(η^5-cyclopentadienyltitanium) formation in the system Cp_2TiCl_2:$LiAlH_4$: olefinic solvent. 5
Ardic, Z. A. Synthesis and complex formation of thiodiacetic acid-bis (2-pyridylmethylamide) (correction). 124
Arena, G. Formation and stability of mixed complexes of copper(II) ion and o-phenylenediamine with some mono-, bi-, and tridentate ligands in aqueous solution. 30
Arena, G. Zinc(II) cysteine and zinc(II) cystine systems: selection of species from potentiometric data. 297
Arrizabalaga, P. A possible route to oxamic-platinum-blue: nature and reactivity of a stable intermediate. 204
Arrizabalaga, P. Complexes of platinum(II) and palladium(II) involving thiohydantoin as a bidentate ligand. 324
Arutyunyan, L. D. Liquid phase oxidation of transition metals. Part 6. Iron and copper complexes containing dimethylsulfoxide, dimethylformamide, and acetonitrile. Anomalous states of ligands. 193
Baijal, J. S. Moessbauer studies of some iron(II) complexes of cyclohexanonesemicarbazone. 80
Baiocchi, C. Kinetics of oxidation of organic compounds by silver(II) in aqueous perchloric acid solution. Part 5. 259
Baiocchi, E. Electronic absorption spectra of tetrahedral oxoanions: ferrate(VI) ion. 164
Balasubramanian, V. Donor properties of some flexidentate hydroxyimino-β-diketones in their rhodium(III) complexes. 152
Balt, S. Square planar complexes of nickel(II), palladium(II) and platinum(II) with 1-(2-hydroxyphenyl)-3,5-diphenylformazan. 357
Banerjee, P. Electrochemical and chemical reduction studies of molybdenum(VI)- and molybdenum(V)-ethylenediaminetetraacetic acid complexes. 117
Baranowski, J. Metal benzoylpivaloylmethanates. Part II. 1,4-Dioxane adducts of copper(II) chelates. 337
Basak, A. K. Aquation of α-cis-chloroaquoethylenediamine-N,N'-diacetatocobalt(III) in aqueous and in mixed solvents: a mechanistic study. 212
Battaglia, L. P. N,N'-Dialkyl-substituted imidazolidine-2-thionecopper(I) complexes. X-ray analysis of chlorobis(N,N'-dimethylimidazolidine-2-thione)copper(I). 362
Baweja, S. Complexes of metal ions with phosphorus or arsenic containing ligands. Part XVIII. Chelates of o-phenylenebis(diarylarsines) with cobalt(II) and nickel(II) halides and pseudohalides. 299
Bekaroglu, O. Synthesis and complex formation of thiodiacetic acid-bis (2-pyridylmethylamide) (correction). 124
Bekaroglu, O. Synthesis and complex formation of 2-aminoethylthioacet(N-2-pyridylmethyl)amide (correction). 124
Bertolasi, V. Reactivity of the $ReOX_3(PPh_3)_2$ complexes (X = Cl or Br) with Schiff bases. 289
Bhat, A. N. Synthesis and characterization of square-planar palladium(II) complexes containing anti- and syn-furan-2-aldoxime. 277
Biavati, A. Benzoylation of methyl acrylate. Crystal and molecular structure of (methyl-3-benzoylacrylate)bis(triphenylphosphine)nickel(0) benzene (1:1) solvate. 129
Biddau, M. Spectroscopic, magnetic and conductivity measurements of manganese(II) complexes with 2,5-diphenyloxazole. 105
Black, D. St. C. The use of ruthenium trifluoromethanesulfonates in the synthesis of $[Ru(CO)_2(bidentate)_2]^{2+}$ complexes. 317
Bocelli, G. Benzoylation of methyl acrylate. Crystal and molecular structure of (methyl-3-benzoylacrylate)bis(triphenylphosphine)nickel(0) benzene (1:1) solvate. 129
Bresciani-Pahor, N. The x-ray crystal structure of bis(1,1,1,5,5,5-hexafluoropentane-2,4-dionato)copper(II)-N,N'-ethylenebis(salicylideneaminato)copper(II). 180
Bulatov, A. V. Hydrogenation of nitrobenzene in the presence of platinum(II) and palladium(II) complexes containing alizarin: radical intermediates. 123
Burman, S. Iron(II) and iron(III) complexes of 2,4-dithiobiuret. 52
Cali, R. Formation and stability of mixed complexes of copper(II) ion and o-phenylenediamine with some mono-, bi-, and tridentate ligands in aqueous solution. 30
Calligaris, M. The x-ray crystal structure of bis(1,1,1,5,5,5-hexafluoropentane-2,4-dionato)copper(II)-N,N'-ethylenebis(salicylideneaminato)copper(II). 180
Calogero, S. The crystal and molecular structure of bis(thiourea)iron(II) thiocyanate. 26
Carmona, D. Thiocarbonylrhodium complexes with tricyclohexylphosphine and other nitrogen and phosphorus donor ligands. 327
Castan, P. Platinum(II) complexes with ligands involving the -NH-CS-NH-group in heterocyclic rings. 154
Castan, P. A possible route to oxamic-platinum-blue: nature and reactivity of a stable intermediate. 204
Castan, P. Complexes of platinum(II) and palladium(II) involving thiohydantoin as a bidentate ligand. 324
Chandra, K. Pseudohalide derivatives of (η-cyclopentadienyl-η-methylcyclopentadienyl)titanium(IV). 49
Chandra, K. Preparation and characterization of some stereochemically rigid seven-coordinate η-cyclopentadienyltris(N,N-dialkyldithiocarbamato)hafnium(IV) complexes. 145
Chandra, K. η-Methylcyclopentadienyltris(N,N-dimethyldithiocarbamato)titanium(IV); a stereochemically rigid heptacoordinate chelate. 209
Chandra, M. Ternary complexes of copper(II), nickel(II) and zinc(II) with nitrilotriacetic acid as a primary ligand and some phenolic acids as secondary ligands. 1
Chandra, S. Moessbauer studies of some iron(II) complexes of cyclohexanonesemicarbazone. 80
Chandra, S. Stereochemical versatility of nickel(II). Nickel(II) complexes of cyclohexanone thiosemicarbazone. 257
Chary, M. N. Manganese(II) complexes with 3,5-diphenylisoxazole, 3-amino-5-methylisoxazole and 5-amino-3,4-dimethylisoxazole. 176
Chatterjee, C. Aquation of α-cis-chloroaquoethylenediamine-N,N'-diacetatocobalt(III) in aqueous and in mixed solvents: a mechanistic study. 212
Chaudhury, M. Electrochemical and chemical reduction studies of molybdenum(VI)- and molybdenum(V)-ethylenediaminetetraacetic acid complexes. 117
Chiusoli, G. P. Benzoylation of methyl acrylate. Crystal and molecular structure of (methyl-3-benzoylacrylate)bis(triphenylphosphine)nickel(0) benzene (1:1) solvate. 129
Chiusoli, G. P. Alkylation of palladium-olefin complexes with monocarboxylic esters. 379
Cinquantini, A. Electrochemical behavior of cis-dichloro(arylisocyanide) (tertiary-phosphine)platinum(II) and palladium(II) complexes in an aprotic solvent (correction). 382
Cinquantini, A. Electrochemical behavior of cis-dichloro(arylisocyanide)(tertiaryphosphine)platinum(II) and palladium(II) complexes in an aprotic solvent. 226
Clack, D. W. Molecular orbital calculations of iron(II) complexes of diimine ligands. 376
Corradi, A. B. N,N'-Dialkyl-substituted imidazolidine-2-thionecopper(I) complexes. X-ray analysis of chlorobis(N,N'-dimethylimidazolidine-2-thione)copper(I). 362
Costa, M. Benzoylation of methyl acrylate. Crystal and molecular structure of (methyl-3-benzoylacrylate)bis(triphenylphosphine)nickel(0) benzene (1:1) solvate. 129
Costa, M. Alkylation of palladium-olefin complexes with monocarboxylic esters. 379
Crichton, B. A. L. The preparation and crystal structure of the five-coordinate molybdenum bishydrazido (2-)-complex, $[MoCl(NNMe_2)_2(PPh_3)_2]^+$. 316
Crociani, B. Electrochemical investigations of cationic trans-haloarylisocyanidebis(tertiary-phosphino)platinum(II) complexes (correction). 256
Crociani, B. Electrochemical behavior of cis-dichloro(arylisocyanide) (tertiary-phosphine)platinum(II) and palladium(II) complexes in an aprotic solvent (correction). 382
Crociani, B. Electrochemical investigations of cationic trans-halo(aryl isocyanide)bis(tertiary phosphino)platinum(II) complexes. 45
Crociani, B. Electrochemical behavior of cis-dichloro(arylisocyanide)(tertiaryphosphine)platinum(II) and palladium(II) complexes in an aprotic solvent. 226
Cucinotta, V. Formation and stability of mixed complexes of copper(II) ion and o-phenylenediamine with some mono-, bi-, and tridentate ligands in aqueous solution. 30
Dahlenburg, L. Alkyl and aryl compounds of the Vaska type. Part V. Cyclometalation reactions in o-methyl substituted iridium aryls via CO insertion and oxidative C-H addition. Characterization of the reported $IrH[C_6H_2Me_2-(4,6)-CH_2-(2)][P(OMe)_3]_3$ as the internally metalated benzoyl complex $fac-IrH[C(O)C_6H_2Me_2-(4,6)-CH_2(2)][P(OMe)_3]_3$ by x-ray diffraction. 222
Dahlstrom, P. The preparation and crystal structure of the five-coordinate molybdenum bishydrazido (2-)-complex, $[MoCl(NNMe_2)_2(PPh_3)_2]^+$ 316
Das, M. Dipole moments and mass spectra of some metal complexes of three new monothio-β-diketones, $RCSCH_2COCHF_2$ (correction). 256
Das, M. Dipole moments and mass spectra of some metal complexes of three new monothio-β-diketones, $RCSCH_2COCHF_2$. 17
Dash, A. C. Kinetics and mechanism of hydrolysis of cis-bis(ethylenediamine)imidazole(salicylato)cobalt(III) ion. 183
Datta, P. K. Ternary complexes of copper(II), nickel(II) and zinc(II) with nitrilotriacetic acid as a primary ligand and some phenolic acids as secondary ligands. 1
De, R. Electrochemical and chemical reduction studies of molybdenum(VI)- and molybdenum(V)-ethylenediaminetetraacetic acid complexes. 117
Deacon, G. B. Decarboxylation syntheses of transition metal organometallics. II. trans-Carbonyl(polyhalogenophenyl)bis(triphenylphosphine)rhodium(I) compounds. 305
Deacon, G. B. The use of ruthenium trifluoromethanesulfonates in the synthesis of $[Ru(CO)_2(bidentate)_2]^{2+}$ complexes. 317
Demaret, A. Preparation and characterization of a glycyl-L-methioninatocopper(II) complex. 120
De Michelis, G. Electronic absorption spectra of tetrahedral oxoanions: ferrate(VI) ion. 164
De Ridder, J. K. Coordination compounds of platinum(II) and palladium(II) with pyrazole as a ligand. New Synthetic procedures and characterization. 73
Desseyn, H. O. The vibrational analysis of some oxamide complexes. 88
Desseyn, H. O. Gold(I) complexes of thioamides. 10
Desseyn, H. O. Nickel(II) complexes with oxamides. The crystal structure of the nickel(II)-N-(hydroxyethyl)oxamide sodium salt. 330
Devillanova, F. A. N,N'-disubstituted imidazolidine-2-thiones as ligands in cobalt(II) complexes. 42
Devillanova, F. A. N,N'-Dialkyl-substituted imidazolidine-2-thionecopper(I) complexes. X-ray analysis of chlorobis(N,N'-dimethylimidazolidine-2-thione)copper(I). 362
Dey, A. K. Ternary complexes of copper(II), nickel(II) and zinc(II) with nitrilotriacetic acid as a primary ligand and some phenolic acids as secondary ligands. 1

Dilworth, J. R. The preparation and crystal structure of the five-coordinate molybdenum bishydrazido (2-)-complex, $[MoCl(NNMe_2)_2(PPh_3)_2]^+$ 316
Di Sipio, L. Electronic absorption spectra of tetrahedral oxoanions: ferrate(VI) ion. 164
Dixit, N. S. Donor properties of some flexidentate hydroxyimino-β-diketones in their rhodium(III) complexes. 152
Dolcetti, G. The crystal structure of tris(acetonitrile)nitrosylbis(triphenylphosphine)iridium(III) dihexafluorophosphate. An unusual iridium nitrosyl hexacoordinate complex. 21
Dolcetti, G. Crystal and molecular structure of nitrosyl(1,10-phenanthroline)bis(triphenylphosphine)iridium(I) dihexafluorophosphate, $[Ir(NO)(phen)(PPh_3)_2][PF_6]_2$. 102
Dolcetti, G. Interaction of carboxyl functionalized catechols with palladium(II) and platinum(II) halide complexes. 149
Domiano, P. X-ray structure of trichlorooxo(N-pyridylmethylene-N'-salicyloylhydrazine-NO)molybdenum(V) . acetonitrile (1/1). An example of isomerization by complexation. 172
Donker, C. B. 1,2,4-Triazole complexes, Part X. Complexes of transition metal(II) cyanates and thiocyanates with 1-phenyl-1,2,4-triazole. 368
Dosedlova, A. The mechanism of $\mu(\eta^5:\eta^5$-fulvalene)-di-μ-chloro-bis(η^5-cyclopentadienyltitanium) formation in the system Cp_2TiCl_2:$LiAlH_4$: olefinic solvent. 5
Driessen, W. L. Metal(II) complexes and metal(II) salts of N-carbamoylpyrazole: N,O and N,N coordination. 346
Dutta, D. K. Rhodium(I) carbonyl complexes with alkyl sulfoxides and sulfides. 244
Elias, H. Equilibrium studies on Schiff base complexes of copper(II) and nickel(II): ligand substitution and formation of mixed ligand complexes. 272
El Kady, N. Coordination compounds of hydrazine derivatives with transition metals. Part 21. Reaction of 1,5-thiocarbodihydrazones with nickel(II) and copper(II) salts. 293
El-Sayed, L. Coordination compounds of hydrazine derivatives with transition metals. Part 20. Nickel(II) chelates with o-hydroxy and o-methoxybenzaldehyde aroylhydrazones. An example of coordination isomerism. 168
El-Sayed, L. Coordination compounds of hydrazine derivatives with transition metals. Part 21. Reaction of 1,5-thiocarbodihydrazones with nickel(II) and copper(II) salts. 293
El-Toukhy, A. Coordination compounds of hydrazine derivatives with transition metals. Part 21. Reaction of 1,5-thiocarbodihydrazones with nickel(II) and copper(II) salts. 293
Ensuque, A. Preparation and characterization of a glycyl-L-methioninatocopper(II) complex. 120
Fabretti, A. C. N-aminorhodanine complexes of palladium(II), palladium(IV) and platinum(II). 350
Faulks, S. J. Decarboxylation syntheses of transition metal organometallics. II. trans-Carbonyl-(polyhalogenophenyl)bis(triphenylphosphine)rhodium(I) compounds. 305
Fenton, D. E. The x-ray crystal structure of bis(1,1,1,5,5,5-hexafluoropentane-2,4-dionato)copper(II)-N,N'-ethylenebis(salicylideneaminato)copper(II). 180
Filipenko, O. S. Liquid phase oxidation of transition metals. Part 6. Iron and copper complexes containing dimethylsulfoxide, dimethylformamide, and acetonitrile. Anomalous states of ligands. 193
Fornies, J. Bi- and polynuclear organometallic complexes of palladium(II) with 4,4'-bipyridine. 284
Franchini, G. C. N-aminorhodanine complexes of palladium(II), palladium(IV) and platinum(II). 350
Franke, P. L. Tetrazoles as ligands. Part I. Transition metal(II) salts and complexes of 5-cyanotetrazole. 240
Fujita, M. Metal atom synthesis of syn(1-3-η-but-2-enyl)(η-buta-1,3-diene)(triethylphosphine)cobalt. 98
Gallo, A. Bi- and polynuclear organometallic complexes of palladium(II) with 4,4'-bipyridine. 284
Gambaro, L. A. Studies on the vanadium(V) oxide-titanium dioxide system. Part 1. Thermoelectric power and electrical conductivity. 139
Gandolfi, O. Interaction of carboxyl functionalized catechols with palladium(II) and platinum(II) halide complexes. 149
Gandotra, A. K. Complexes of cobalt(II) aryl carboxylates with quinoline and isoquinoline. 365
Garg, B. S. Preparation and characterization of some stereochemically rigid seven-coordinate η-cyclopentadienyltris(N,N-dialkyldithiocarbamato)hafnium(IV) complexes. 145
Garg, B. S. η-Methylcyclopentadienyltris(N,N-dimethyldithiocarbamato)titanium(IV); a stereochemically rigid heptacoordinate chelate. 209
Garg, B. S. Pseudohalide derivatives of (η-cyclopentadienyl-η-methylcyclopentadienyl)titanium(IV). 49
Garralda, M. A. Cationic rhodium(I) diolefin complexes (correction). 256
Gellert, E. Synthesis and complex formation of thiodiacetic acid-bis (2-pyridylmethylamide) (correction). 124
Gellert, E. Synthesis and complex formation of 2-aminoethylthioacet(N-2-pyridylmethyl)amide (correction). 124
Ghedini, M. The crystal structure of tris(acetonitrile)nitrosylbis(triphenylphosphine)iridium(III) dihexafluorophosphate. An unusual iridium nitrosyl hexacoordinate complex. 21
Ghedini, M. Crystal and molecular structure of nitrosyl(1,10-phenanthroline)bis(triphenylphosphine)iridium(I) dihexafluorophosphate, $[Ir(NO)(phen)(PPh_3)_2][PF_6]_2$. 102
Ghedini, M. Interaction of carboxyl functionalized catechols with palladium(II) and platinum(II) halide complexes. 149
Gillard, R. D. Equilibriums in complexes of N-heterocyclic molecules, Part XXXI. An explanation for rates of dissociation of iron(II) complexes of diimine ligands. 321
Gillard, R. D. Isomers of α-amino acids with copper(II). Part VI. Novel equilibriums at high pH in copper(II):amino acid solutions. 340
Goel, A. B. Isolation and characterization of an unusual mixed methoxy- and chloro-bridged dinuclear palladium complex. 378
Goel, S. Isolation and characterization of an unusual mixed methoxy- and chloro-bridged dinuclear palladium complex. 378
Goeminne, A. The vibrational analysis of some oxamide complexes. 88
Goswami, K. Di- and monocarbonyl complexes of rhodium(I) containing singly charged bidentate ligands. 83
Grasso, M. Formation and stability of mixed complexes of copper(II) ion and o-phenylenediamine with some mono-, bi-, and tridentate ligands in aqueous solution. 30
Graziosi, G. Synthesis and characterization of para- and meta-substituted benzeneseleninato complexes of tin(II), silver(I) and iron(II). 262
Groeneveld, W. L. Tetrazoles as ligands. Part I. Transition metal(II) salts and complexes of 5-cyanotetrazole. 240
Groeneveld, W. L. Metal(II) complexes and metal(II) salts of N-carbamoylpyrazole: N,O and N,N coordination. 346
Groeneveld, W. L. 1,2,4-Triazole complexes, Part X. Complexes of transition metal(II) cyanates and thiocyanates with 1-phenyl-1,2,4-triazole. 368
Gupta, V. K. Synthesis and characterization of square-planar palladium(II) complexes containing anti- and syn-furan-2-aldoxime. 277
Gusakovskaya, I. G. Liquid phase oxidation of transition metals. Part 6. Iron and copper complexes containing dimethylsulfoxide, dimethylformamide, and acetonitrile. Anomalous states of ligands. 193
Haasnoot, J. G. 1,2,4-Triazole complexes, Part X. Complexes of transition metal(II) cyanates and thiocyanates with 1-phenyl-1,2,4-triazole. 368
Hall, D. Cobalt halide species sorbed on an anion exchange membrane – a spectral characterization. 266
Hanus, V. The mechanism of $\mu(\eta^5:\eta^5$-fulvalene)-di-μ-chloro-bis(η^5-cyclopentadienyltitanium) formation in the system Cp_2TiCl_2:$LiAlH_4$: olefinic solvent. 5
Hay, R. W. Metal complexes of tetramethylethylenediamine tetraacetate. 230
Hay, R. W. The coordination chemistry of macrocyclic diamides. Transition metal complexes of 5,7-dioxo-1,4,8,11-tetraazacyclotetradecane. 232
Hay, R. W. Kinetics and mechanism of the acid-catalyzed decarboxylation of the cis-α- and cis-β-carbonato(3,6-dimethyl-1,8-diamino-3,6-diazaoctane)cobalt(III) ions. 252
Heitner-Wirguin, C. Cobalt halide species sorbed on an anion exchange membrane – a spectral characterization. 266
Herman, M. A. Gold(I) complexes of thioamides. 10
Hirschon, A. S. The oxidative addition of a dithio ether dication to a platinum(0) complex. 191
Holper, P. N. Kinetics of substitution on chloro-1,7,7-tetraethyldiethylenetriaminegold(III) in methanol-water mixtures. 108
Ingletto, G. Electronic absorption spectra of tetrahedral oxoanions: ferrate(VI) ion. 164
Ioffe, M. S. Electroconductive salts of tetramethyltetrathiafulvalene containing cupro- and cuprichloride anions. 189
Iskander, M. F. Coordination compounds of hydrazine derivatives with transition metals. Part 20. Nickel(II) chelates with o-hydroxy and o-methoxybenzaldehyde aroylhydrazones. An example of coordination isomerism. 168
Iskander, M. F. Coordination compounds of hydrazine derivatives with transition metals. Part 21. Reaction of 1,5-thiocarbodihydrazones with nickel(II) and copper(II) salts. 293
Ito, T. Preparation and properties of diphenyliron and phenylcobalt complexes with triethylphosphine ligands. 14
Jain, P. C. Thorium(IV) and zirconium(IV) complexes of oxygen donor ligands. Part 12. Thorium(IV) complexes of mono N-oxides of 2,2'-bipyridine and 1,10-phenanthroline. 237
Jeragh, B. Kinetics and mechanism of the acid-catalyzed decarboxylation of the cis-α- and cis-β-carbonato(3,6-dimethyl-1,8-diamino-3,6-diazaoctane)cobalt(III) ions. 252
Kakkar, K. K. Cationic complexes of chelated bis(η-cyclopentadienyl)titanium(IV) with halometallates of gallium(III), indium(III) and thallium(III). 160
Kane-Maguire, L. A. P. Molecular orbital calculations of iron(II) complexes of diimine ligands. 376
Kapoor, R. N. Reactions of uranyl(VI) complexes of acid dihydrazides with β-diketones. 85
Kapur, V. Thorium(IV) and zirconium(IV) complexes of oxygen donor ligands. Part 12. Thorium(IV) complexes of mono N-oxides of 2,2'-bipyridine and 1,10-phenanthroline. 237
Khandelwal, B. L. Electronic and infrared spectral studies of manganese(III) selenito complexes. 235
Kher, S. Reactions of uranyl(VI) complexes of acid dihydrazides with β-diketones. 85
Khidekel, M. L. Radical-cation salts of dibenzotetrathiafulvalene with inorganic anions: $[ReCl_6]^{2-}$ and $[Pt(Me_2S)Br_5]^-$. 63
Khidekel, M. L. Hydrogenation of nitrobenzene in the presence of platinum(II) and palladium(II) complexes containing alizarin: radical intermediates. 123
Khidekel, M. L. Reductive amination of carbonyl compounds in the presence of cobalt and rhodium complexes. 134
Khidekel, M. L. Electroconductive salts of tetramethyltetrathiafulvalene containing cupro- and cuprichloride anions. 189
Khidekel, M. L. Liquid phase oxidation of transition metals. Part 6. Iron and copper complexes containing dimethylsulfoxide, dimethylformamide, and acetonitrile. Anomalous states of ligands. 193
Klyuev, M. V. Reductive amination of carbonyl compounds in the presence of cobalt and rhodium complexes. 134
Knight, D. W. Equilibriums in complexes of N-heterocyclic molecules, Part XXXI. An explanation for rates of dissociation of iron(II) complexes of diimine ligands. 321
Knight, D. W. Molecular orbital calculations of iron(II) complexes of diimine ligands. 376
Korableva, L. G. Liquid phase oxidation of transition metals. Part 6. Iron and copper complexes containing dimethylsulfoxide, dimethylformamide, and acetonitrile. Anomalous states of ligands. 193
Krishnan, V. G. Electron spin resonance and electronic spectral investigation on square planar copper(II) complexes of N-ethyl- and N-propylimidazole. 353
Kumar, K. Linear free energy relationships and the kinetics of ligand substitutions. Correlation of rate constants with overall stability constants of reactive intermediate species in the stepwise formation of tetracyanonickelate(II) from monoaminocarboxylatonickel(II) complexes. 111
Kumar, N. Pseudohalide derivatives of (η-cyclopentadienyl-η-methylcyclopentadienyl)titanium(IV). 49
Kumar, N. Complexes of cobalt(II) aryl carboxylates with quinoline and isoquinoline. 365
Kumari, V. Reactions of uranyl(VI) complexes of acid dihydrazides with β-diketones. 85
Kvintovics, P. Amino acid dicarbonylrhodium(I) complexes. 186
Kwiatkowski, E. Metal benzoylpivaloylmethanates. Part II. 1,4-Dioxane adducts of copper(II) chelates. 337
Lahuerta, P. Thiocarbonylrhodium complexes with tricyclohexylphosphine and other nitrogen and phosphorus donor ligands. 327
Laine, R. M. The photochemical synthesis of (cyclooctatetraene)$W(CO)_4$. 158
Lancashire, R. J. Isomers of α-amino acids with copper(II). Part VI. Novel equilibriums at high pH in copper(II):amino acid solutions. 340
Lanfranchi, M. The crystal structure of tris(acetonitrile)nitrosylbis(triphenylphosphine)iridium(III) dihexafluorophosphate. An unusual iridium nitrosyl hexacoordinate complex. 21
Lapluye, G. Preparation and characterization of a glycyl-L-methioninatocopper(II) complex. 120
Larkina, T. I. Liquid phase oxidation of transition metals. Part 6. Iron and copper complexes containing dimethylsulfoxide, dimethylformamide, and acetonitrile. Anomalous states of ligands. 193
Laurent, J. P. Platinum(II) complexes with ligands involving the -NH-CS-NH-group in heterocyclic rings. 154
Laurent, J. P. A possible route to oxamic-platinum-blue: nature and reactivity of a stable intermediate. 204
Laurent, J. P. Complexes of platinum(II) and palladium(II) involving thiohydantoin as a bidentate ligand. 324
Lavrent'ev, I. P. Liquid phase oxidation of transition metals. Part 6. Iron and copper complexes containing dimethylsulfoxide, dimethylformamide, and acetonitrile. Anomalous states of ligands. 193
Lavrent'eva, E. A. Liquid phase oxidation of transition metals. Part 6. Iron and copper complexes containing dimethylsulfoxide, dimethylformamide, and acetonitrile. Anomalous states of ligands. 193
Lenstra, A. T. H. Nickel(II) complexes with oxamides. The crystal structure of the nickel(II)-N-(hydroxyethyl)oxamide sodium salt. 330
Livingstone, S. E. Transition metal chelates of two ONNNO quinquedentate ligands. 77
Lubovskaya, R. N. Radical-cation salts of dibenzotetrathiafulvalene with inorganic anions: $[ReCl_6]^{2-}$ and $[Pt(Me_2S)Br_5]^-$. 63

Lyubovskaya, R. N. Electroconductive salts of tetramethyltetrathiafulvalene containing cupro- and cuprichloride anions. 189
Mach, K. The mechanism of $\mu(\eta^5:\eta^5$-fulvalene)-di-μ-chloro-bis(η^5-cyclopentadienyltitanium) formation in the system Cp_2TiCl_2:$LiAlH_4$: olefinic solvent. 5
Magon, L. Reactivity of the $ReOX_3(PPh_3)_2$ complexes (X = Cl or Br) with Schiff bases. 289
Mallela, S. P. Electronic and infrared spectral studies of manganese(III) selenito complexes. 235
Mangia, A. Synthesis and characterization of some transition metal complexes containing a nitrogen-oxygen donor macrocyclic ligand. 250
Mari, A. Alkylation of palladium-olefin complexes with monocarboxylic esters. 379
Marko, L. Amino acid dicarbonylrhodium(I) complexes. 186
Maruyama, K. Preparation and properties of diphenyliron and phenylcobalt complexes with triethylphosphine ligands. 14
Massacesi, M. Electron spin resonance and electronic spectral investigation on square planar copper(II) complexes of N-ethyl- and N-propylimidazole. 353
Massacesi, M. Spectroscopic, magnetic and conductivity measurements of manganese(II) complexes with 2,5-diphenyloxazole. 105
Mazzi, U. Reactivity of the $ReOX_3(PPh_3)_2$ complexes (X = Cl or Br) with Schiff bases. 289
Mentasti, E. Kinetics of oxidation of organic compounds by silver(II) in aqueous perchloric acid solution. Part 5. 259
Meuldijk, J. Square planar complexes of nickel(II), palladium(II) and platinum(II) with 1-(2-hydroxyphenyl)-3,5-diphenylformazan. 357
Michalska, Z. M. Reactions of organosilicon hydrides with organosilanols catalyzed by homogeneous and silica-supported rhodium(I) complexes. 125
Miller, J. M. Decarboxylation syntheses of transition metal organometallics. II. trans-Carbonyl(polyhalogenophenyl)bis(triphenylphosphine)rhodium(I) compounds. 305
Mohan, M. Transition metal chemistry of oxime-containing ligands. Part XI. Copper(II) complexes of syn-phenyl-2-pyridylketoxime and syn-methyl-2-pyridylketoxime. 113
Mohanty, B. Kinetics and mechanism of hydrolysis of cis-bis(ethylenediamine)imidazole(salicylato)cobalt(III) ion. 183
Moravskaya, T. M. Electroconductive salts of tetramethyltetrathiafulvalene containing cupro- and cuprichloride anions. 189
Mueller-Westerhoff, U. T. Cyclic electron delocalization in transition metal complexes with sulfur-containing conjugated ligands. 318
Musatti, A. X-ray structure of trichlorooxo(N-pyridylmethylene-N'-salicyloylhydrazine-NO)molybdenum(V) . acetonitrile (1/1). An example of isomerization by complexation. 172
Musker, W. K. The oxidative addition of a dithio ether dication to a platinum(0) complex. 191
Musumeci, S. Formation and stability of mixed complexes of copper(II) ion and o-phenylenedamine with some mono-, bi-, and tridentate ligands in aqueous solution. 30
Musumeci, S. Zinc(II) cysteine and zinc(II) cystine systems: selection of species from potentiometric data. 297
Nag, K. Electrochemical and chemical reduction studies of molybdenum(VI)- and molybdenum(V)-ethylenediaminetetraacetic acid complexes. 117
Nagy-Magos, Z. Amino acid dicarbonylrhodium(I) complexes. 186
Nardelli, M. X-ray structure of trichlorooxo(N-pyridylmethylene-N'-salicyloylhydrazine-NO)molybdenum(V) . acetonitrile (1/1). An example of isomerization by complexation. 172
Nardin, G. The x-ray crystal structure of bis(1,1,1,5,5,5-hexafluoropentane-2,4-dionato)copper(II)-N,N'-ethylenebis(salicylideneaminato)copper(II) 180
Navarro, R. Bi- and polynuclear organometallic complexes of palladium(II) with 4,4'-bipyridine. 284
Nazzal, A. Cyclic electron delocalization in transition metal complexes with sulfur-containing conjugated ligands. 318
Nicolini, M. Electrochemical investigations of cationic trans-haloarylisocyanidebis(tertiaryphosphino)platinum(II) complexes (correction). 256
Nicolini, M. Electrochemical investigations of cationic trans-halo(aryl isocyanide)bis(tertiary phosphino)platinum(II) complexes. 45
Nifontova, G. A. Liquid phase oxidation of transition metals. Part 6. Iron and copper complexes containing dimethylsulfoxide, dimethylformamide, and acetonitrile. Anomalous states of ligands. 193
Nigam, P. C. Linear free energy relationships and the kinetics of ligand substitutions. Correlation of rate constants with overall stability constants of reactive intermediate species in the stepwise formation of tetracyanonickelate(II) from monoaminocarboxylatonickel(II) complexes. 111
Nishihara, H. Metal atom synthesis of syn(1-3-η-but-2-enyl)(η-buta-1,3-diene)(triethylphosphine)cobalt. 98
Nolan, K. B. Metal complexes of tetramethylethylenediamine tetraacetate. 230
Nonoyama, M. [(R)-2-Methyl-1,4,7-triazacyclononane][1,1,1-tris(aminomethyl)ethane]cobalt(III) and some mono[(R)-2-methyl-1,4,7-triazacyclononane]cobalt(III) complexes. 269
Norman, P. R. The coordination chemistry of macrocyclic diamides. Transition metal complexes of 5,7-dioxo-1,4,8,11-tetraazacyclotetradecane. 232
O'Brien, P. Complexes of copper(II) with oxalate and 2,2'-bipyridyl: preparation and interconversion in the solid state. 314
O'Brien, P. Isomers of α-amino acids with copper(II). Part VI. Novel equilibriums at high pH in copper(II):amino acid solutions. 340
Oluka, J. E. Transition metal chelates of two ONNNO quinquedentate ligands. 77
Oro, L. A. Cationic rhodium(I) diolefin complexes (correction). 256
Oro, L. A. Cationic rhodium(I) diolefin complexes. 65
Oro, L. A. Thiocarbonylrhodium complexes with tricyclohexylphosphine and other nitrogen and phosphorus donor ligands. 327
Pandeya, K. B. Moessbauer studies of some iron(II) complexes of cyclohexanonesemicarbazone. 80
Pandeya, K. B. Stereochemical versatility of nickel(II). Nickel(II) complexes of cyclohexanone thiosemicarbazone. 257
Paramhans, B. D. Transition metal chemistry of oxime-containing ligands. Part XI. Copper(II) complexes of syn-phenyl-2-pyridylketoxime and syn-methyl-2-pyridylketoxime. 113
Parmar, S. S. Complexes of metal ions with phosphorus or arsenic containing ligands. Part XVIII. Chelates of o-phenylenebis(diarylarsines) with cobalt(II) and nickel(II) halides and pseudohalides. 299
Patel, C. C. Donor properties of some flexidentate hydroxyimino-β-diketones in their rhodium(III) complexes. 152
Pathak, K. K. Complexes of 2-amino-5(o-hydroxyphenyl)-1,3,4-thiadiazole with copper(II), nickel(II), cobalt(II), zinc(II) and iron(II). 60
Pelizzi, C. X-ray structure of trichlorooxo(N-pyridylmethylene-N'-salicyloylhydrazine-NO)molybdenum(V) . acetonitrile (1/1). An example of isomerization by complexation. 172
Peplinski, Z. Metal benzoylpivaloylmethanates. Part II. 1,4-Dioxane adducts of copper(II) chelates. 337
Pereira, E. Studies on the vanadium(V) oxide-titanium dioxide system. Part 1. Thermoelectric power and electrical conductivity. 139
Peyronel, G. N-aminorhodanine complexes of palladium(II), palladium(IV) and platinum(II). 350
Pinna, R. Spectroscopic, magnetic and conductivity measurements of manganese(II) complexes with 2,5-diphenyloxazole. 105
Pinna, R. Manganese(II) complexes with 3,5-diphenylisoxazole, 3-amino-5-methylisoxazole and 5-amino-3,4-dimethylisoxazole. 176
Pombeiro, A. J. L. Reactivity of carbyne and carbene complexes of molybdenum and tungsten. 55
Pombeiro, A. J. L. Reactions of trans-[$Mo(CNMe)_2(PMe_2Ph)_4$] and mer-[$W(CNMe)_3(PMe_2Ph)_3$] complexes with methanol and with mineral acids to give amines, ammonia and hydrocarbons. 281
Ponticelli, G. Spectroscopic, magnetic and conductivity measurements of manganese(II) complexes with 2,5-diphenyloxazole. 105
Ponticelli, G. Manganese(II) complexes with 3,5-diphenylisoxazole, 3-amino-5-methylisoxazole and 5-amino-3,4-dimethylisoxazole. 176
Ponticelli, G. Electron spin resonance and electronic spectral investigation on square planar copper(II) complexes of N-ethyl- and N-propylimidazole. 353
Predieri, G. X-ray structure of trichlorooxo(N-pyridylmethylene-N'-salicyloylhydrazine-NO)molybdenum(V) . acetonitrile (1/1). An example of isomerization by complexation. 172
Preti, C. Metal ligand bonding in benzeneselenino to complexes of p- and d-block metals. 200
Preti, C. Synthesis and characterization of para- and meta-substituted benzeneseleninato complexes of tin(II), silver(I) and iron(II). 262
Ramachary, C. Electron spin resonance and electronic spectral investigation on square planar copper(II) complexes of N-ethyl- and N-propylimidazole. 353
Randaccio, L. The x-ray crystal structure of bis(1,1,1,5,5,5-hexafluoropentane-2,4-dionato)copper(II)-N,N'-ethylenebis(salicylideneaminato)copper(II). 180
Reedijk, J. Coordination compounds of platinum(II) and palladium(II) with pyrazole as a ligand. New Synthetic procedures and characterization. 73
Rehder, D. An approach to the correlation between vanadium-51 shielding and the local symmetry of carbonyl-substituted phosphine vanadium complexes. 214
Reiffer, U. Equilibrium studies on Schiff base complexes of copper(II) and nickel(II): ligand substitution and formation of mixed ligand complexes. 272
Renkema, W. E. Square planar complexes of nickel(II), palladium(II) and platinum(II) with 1-(2-hydroxyphenyl)-3,5-diphenylformazan. 357
Richards, R. L. Reactivity of carbyne and carbene complexes of molybdenum and tungsten. 55
Richards, R. L. Reactions of trans-[$Mo(CNMe)_2(PMe_2Ph)_4$] and mer-[$W(CNMe)_3(PMe_2Ph)_3$] complexes with methanol and with mineral acids to give amines, ammonia and hydrocarbons. 281
Rigano, C. Zinc(II) cysteine and zinc(II) cystine systems: selection of species from potentiometric data. 297
Rizzarelli, E. Formation and stability of mixed complexes of copper(II) ion and o-phenylenedamine with some mono-, bi-, and tridentate ligands in aqueous solution. 30
Rizzarelli, E. Zinc(II) cysteine and zinc(II) cystine systems: selection of species from potentiometric data. 297
Roncari, E. Reactivity of the $ReOX_3(PPh_3)_2$ complexes (X = Cl or Br) with Schiff bases. 289
Rossi, R. Reactivity of the $ReOX_3(PPh_3)_2$ complexes (X = Cl or Br) with Schiff bases. 289
Rupainwar, D. C. Cationic complexes of chelated bis(η-cyclopentadienyl)titanium(IV) with halometallates of gallium(III), indium(III) and thallium(III). 160
Russo, U. The crystal and molecular structure of bis(thiourea)iron(II) thiocyanate. 26
Saddeck, S. Coordination compounds of hydrazine derivatives with transition metals. Part 20. Nickel(II) chelates with o-hydroxy and o-methoxybenzaldehyde aroylhydrazones. An example of coordination isomerism. 168
Sahni, S. K. Reactions of uranyl(VI) complexes of acid dihydrazides with β-diketones. 85
Saito, T. Synthesis of pyridinium ylide complexes of methylcobaloxime and crystal structure determination of [benzoyl(1-pyridinio)methanide]bis(dimethylglyoximato)methylcobalt benzene solvate. 35
Saito, T. Metal atom synthesis of syn(1-3-η-but-2-enyl)(η-buta-1,3-diene)(triethylphosphine)cobalt. 98
Salcedo, R. Pentafluorophenylthiolate derivatives of ruthenium(II), rhodium(I) and palladium(II). 247
Sammartano, S. Formation and stability of mixed complexes of copper(II) ion and o-phenylenedamine with some mono-, bi-, and tridentate ligands in aqueous solution. 30
Sammartano, S. Zinc(II) cysteine and zinc(II) cystine systems: selection of species from potentiometric data. 297
Sandhu, S. S. Complexes of metal ions with phosphorus or arsenic containing ligands. Part XVIII. Chelates of o-phenylenebis(diarylarsines) with cobalt(II) and nickel(II) halides and pseudohalides. 299
Sandhu, S. S. Ligating properties of model biheterocyclics. Part IV. Synthesis and characterization of palladium(II), platinum(II) and platinum(IV) halide complexes with 3,8-diphenyl-4,5,6,9-tetrahydro-1,4,7-thiadiazonines. 333
Sarkar, S. Anionic cyanonitrosyl complexes of vanadium. 122
Sasaki, Y. Synthesis of pyridinium ylide complexes of methylcobaloxime and crystal structure determination of [benzoyl(1-pyridinio)methanide]bis(dimethylglyoximato)methylcobalt benzene solvate. 35
Sasaki, Y. Metal atom synthesis of syn(1-3-η-but-2-enyl)(η-buta-1,3-diene)(triethylphosphine)cobalt. 98
Sastry, B. A. Manganese(II) complexes with 3,5-diphenylisoxazole, 3-amino-5-methylisoxazole and 5-amino-3,4-dimethylisoxazole. 176
Sathyanarayana, D. N. Iron(II) and iron(III) complexes of 2,4-dithiobiuret. 52
Sawhney, G. L. Moessbauer studies of some iron(II) complexes of cyclohexanonesemicarbazone. 80
Schmidt, H. An approach to the correlation between vanadium-51 shielding and the local symmetry of carbonyl-substituted phosphine vanadium complexes. 214
Schumann, M. Equilibrium studies on Schiff base complexes of copper(II) and nickel(II): ligand substitution and formation of mixed ligand complexes. 272
Seeber, R. Electrochemical investigations of cationic trans-haloarylisocyanidebis(tertiaryphosphino)platinum(II) complexes (correction). 256
Seeber, R. Electrochemical behavior of cis-dichloro(arylisocyanide) (tertiary-phosphine)platinum(II) and palladium(II) complexes in an aprotic solvent (correction). 382
Seeber, R. Electrochemical investigations of cationic trans-halo(aryl isocyanide)bis(tertiary phosphino)platinum(II) complexes. 45
Seeber, R. Electrochemical behavior of cis-dichloro(arylisocyanide)(tertiaryphosphine)platinum(II) and palladium(II) complexes in an aprotic solvent. 226
Sgarabotto, P. Benzoylation of methyl acrylate. Crystal and molecular structure of (methyl-3-benzoylacrylate)bis(triphenylphosphine)nickel(0) benzene (1:1) solvate. 129
Sharma, R. K. Pseudohalide derivatives of (η-cyclopentadienyl-η-methylcyclopentadienyl)titanium(IV). 49
Sharma, R. K. Preparation and characterization of some stereochemically rigid seven-coordinate η-cyclopentadienyltris(N,N-dialkyldithiocarbamato)hafnium(IV) complexes. 145
Sharma, R. K. η-Methylcyclopentadienyltris(N,N-dimethyldithiocarbamato)titanium(IV); a stereochemically rigid heptacoordinate chelate. 209

Sharma, S. Thorium(IV) and zirconium(IV) complexes of oxygen donor ligands. Part 12. Thorium(IV) complexes of mono N-oxides of 2,2'-bipyridine and 1,10-phenanthroline. 237
Shuaib, M. Metal complexes of tetramethylethylenediamine tetraacetate. 230
Singh, H. Ligating properties of model biohetero-cyclics. Part IV. Synthesis and characterization of palladium(II), platinum(II) and platinum(IV) halide complexes with 3,8-diphenyl-4,5,6,9-tetrahydro-1,4,7-thiadiazonines. 333
Singh, J. Complexes of 2-amino-5(o-hydroxyphenyl)-1,3,4-thiadiazole with copper(II), nickel(II), cobalt(II), zinc(II) and iron(II). 60
Singh, K. Application of thermogravimetric equations in the thermal decomposition of manganese(II) soaps. 39
Singh, M. M. Di- and monocarbonyl complexes of rhodium(I) containing singly charged bidentate ligands. 83
Singh, M. M. Rhodium(I) carbonyl complexes with alkyl sulfoxides and sulfides. 244
Singh, N. B. Complexes of 2-amino-5(o-hydroxyphenyl)-1,3,4-thiadiazole with copper(II), nickel(II), cobalt(II), zinc(II) and iron(II). 60
Singh, N. K. Complexes of 2-amino-5(o-hydroxyphenyl)-1,3,4-thiadiazole with copper(II), nickel(II), cobalt(II), zinc(II) and iron(II). 60
Singh, R. Complexes of some bivalent metal salts with benzo(f)quinoline. 206
Singh, R. Infrared spectral evidence for equatorially eight-coordinate uranyl ion. 303
Singh, R. Complexes of some bivalent cobalt, nickel, copper, zinc, cadmium and monovalent silver salts with 4,4'-bipyridyl N,N'-dioxide. 373
Singh, R. Infrared spectral evidence for equatorially eight-coordinate uranyl ion. 303
Singh, R. P. η-Methylcyclopentadienyltris(N,N-dimethyldithiocarbamato)titanium(IV); a stereochemically rigid heptacoordinate chelate. 209
Singh, R. P. Stereochemical versatility of nickel(II). Nickel(II) complexes of cyclohexanone thiosemicarbazone. 257
Siracusa, G. Formation and stability of mixed complexes of copper(II) ion and o-phenylenedimine with some mono-, bi-, and tridentate ligands in aqueous solution. 30
Soni, P. Preparation and characterization of some stereochemically rigid seven-coordinate η-cyclopentadienyltris(N,N-dialkyldithiocarbamato)hafnium(IV) complexes. 145
Sriramulu, L. Complexes of some bivalent cobalt, nickel, copper, zinc, cadmium and monovalent silver salts with 4,4'-bipyridyl N,N'-dioxide. 373
Srivastava, A. K. Thorium(IV) and zirconium(IV) complexes of oxygen donor ligands. Part 6. Thorium(IV) complexes of 2,6-lutidine N-oxide and tetramethylene sulfoxide. 95
Srivastava, A. K. Metal complexes of carbazic acids, Part 2. Copper(II) complexes of N-substituted carbazic acids. 161
Srivastava, A. K. Thorium(IV) and zirconium(IV) complexes of oxygen donor ligands. Part 12. Thorium(IV) complexes of mono N-oxides of 2,2'-bipyridine and 1,10-phenanthroline. 237
Srivastava, R. Anionic cyanonitrosyl complexes of vanadium. 122
Srivastava, R. C. Cationic complexes of chelated bis(η-cyclopentadienyl)titanium(IV) with halometallates of gallium(III), indium(III) and thallium(III). 160
Srivastava, T. N. Thorium(IV) and zirconium(IV) complexes of oxygen donor ligands. Part 6. Thorium(IV) complexes of 2,6-lutidine N-oxide and tetramethylene sulfoxide. 95
Syamal, A. New antiferromagnetic copper(II) complexes with some dibasic tridentate ONS donor Schiff bases. 220
Takahashi, H. Metal atom synthesis of syn(1-3-η-but-2-enyl)(η-buta-1,3-diene)(triethylphosphine)cobalt. 98
Tandon, S. S. Ligating properties of model biohetero-cyclics. Part IV. Synthesis and characterization of palladium(II), platinum(II) and platinum(IV) halide complexes with 3,8-diphenyl-4,5,6,9-tetrahydro-1,4,7-thiadiazonines. 333
Terenghi, G. Benzoylation of methyl acrylate. Crystal and molecular structure of (methyl-3-benzoylacrylate)bis(triphenylphosphine)nickel(0) benzene (1:1) solvate. 129
Terenghi, G. Alkylation of palladium-olefin complexes with monocarboxylic esters. 379
Terheijden, J. Metal(II) complexes and metal(II) salts of N-carbamoylpyrazole: N,O and N,N coordination. 346
Thomas, H. J. Studies on the vanadium(V) oxide-titanium dioxide system. Part 1. Thermoelectric power and electrical conductivity. 139
Thomas, J. H. Mineral formation from aqueous solution. Part III. The stability of aurichalcite, $(Zn,Cu)_5(CO_3)_2(OH)_6$, and rosasite, $(Cu,Zn)_2(CO_3)(OH)_2$. 3
Thomas, N. C. The use of ruthenium trifluoromethanesulfonates in the synthesis of $[Ru(CO)_2(bidentate)_2]^{2+}$ complexes. 317
Tiripicchio, A. The crystal structure of tris(acetonitrile)nitrosylbis(triphenylphosphine)iridium(III) dihexafluorophosphate. An unusual iridium nitrosyl hexacoordinate complex. 21
Tiripicchio, A. Crystal and molecular structure of nitrosyl(1,10-phenanthroline)bis(triphenylphosphine)iridium(I) dihexafluorophosphate, $[Ir(NO)(phen)(PPh_3)_2][PF_6]_2$. 102
Tiripicchio Camellini, M. Crystal and molecular structure of nitrosyl(1,10-phenanthroline)bis(triphenylphosphine)iridium(I) dihexafluorophosphate, $[Ir(NO)(phen)(PPh_3)_2][PF_6]_2$. 102
Toprak, M. Synthesis and complex formation of 2-aminoethylthioacet(N-2-pyridylmethyl)amide (correction). 124
Torrens, H. Pentafluorophenylthiolate derivatives of ruthenium(II), rhodium(I) and palladium(II). 247
Tosi, G. Metal ligand bonding in benzeneseleninato complexes of p- and d-block metals. 200
Tosi, G. Synthesis and characterization of para- and meta-substituted benzeneseleninato complexes of tin(II), silver(I) and iron(II). 262
Traverso, O. Reactivity of the $ReOX_3(PPh_3)_2$ complexes (X = Cl or Br) with Schiff bases. 289
Tuli, R. K. Pseudohalide derivatives of (η-cyclopentadienyl-η-methylcyclopentadienyl)titanium(IV). 49
Tuli, R. K. Preparation and characterization of some stereochemically rigid seven-coordinate η-cyclopentadienyltris(N,N-dialkyldithiocarbamato)hafnium(IV) complexes. 145
Urabe, H. Synthesis of pyridinium ylide complexes of methylcobaloxime and crystal structure determination of [benzoyl(1-pyridinio)methanide]bis(dimethylglyoximato)methylcobalt benzene solvate. 35
Uson, R. Bi- and polynuclear organometallic complexes of palladium(II) with 4,4'-bipyridine. 284
Uson, R. Thiocarbonylrhodium complexes with tricyclohexylphosphine and other nitrogen and phosphorus donor ligands. 327
Valle, G. The crystal and molecular structure of bis(thiourea)iron(II) thiocyanate. 26
Van de Mieroop, W. Nickel(II) complexes with oxamides. The crystal structure of the nickel(II)-N-(hydroxyethyl)oxamide sodium salt. 330
Van Haverbeke, L. The vibrational analysis of some oxamide complexes. 88
Van Kralingen, C. G. Coordination compounds of platinum(II) and palladium(II) with pyrazole as a ligand. New Synthetic procedures and characterization. 73
Van Riel, W. The vibrational analysis of some oxamide complexes. 88
Van Riel, W. Nickel(II) complexes with oxamides. The crystal structure of the nickel(II)-N-(hydroxyethyl)oxamide sodium salt. 330
Varma, R. P. Application of thermogravimetric equations in the thermal decomposition of manganese(II) soaps. 39
Verani, G. N,N'-disubstituted imidazolidine-2-thiones as ligands in cobalt(II) complexes. 42
Verani, G. N,N'-Dialkyl-substituted imidazolidine-2-thionecopper(I) complexes. X-ray analysis of chlorobis(N,N'-dimethylimidazolidine-2-thione)copper(I). 362
Veretennikova, L. S. Radical-cation salts of dibenzotetrathiafulvalene with inorganic anions: $[ReCl_6]^{2-}$ and $[Pt(Me_2S)Br_5]^-$. 63
Von Deuten, K. Alkyl and aryl compounds of the Vaska type. Part V. Cyclometalation reactions in o-methyl substituted iridium aryls via CO insertion and oxidative C-H addition. Characterization of the reported $IrH[C_6H_2Me_2-(4,6)-CH_2-(2)][P(OMe)_3]_3$ as the internally metalated benzoyl complex fac-$IrH[C(O)C_6H_2Me_2-(4,6)-CH_2(2)][P(OMe)_3]_3$ by x-ray diffraction. 222
Wannowius, K. J. Equilibrium studies on Schiff base complexes of copper(II) and nickel(II): ligand substitution and formation of mixed ligand complexes. 272
Williams, P. A. Mineral formation from aqueous solution. Part III. The stability of aurichalcite, $(Zn,Cu)_5(CO_3)_2(OH)_6$, and rosasite, $(Cu,Zn)_2(CO_3)(OH)_2$. 3
Williams, P. A. Equilibriums in complexes of N-heterocyclic molecules, Part XXXI. An explanation for rates of dissociation of iron(II) complexes of diimine ligands. 321
Williams, P. A. Molecular orbital calculations of iron(II) complexes of diimine ligands. 376
Yamamoto, A. Preparation and properties of diphenyliron and phenylcobalt complexes with triethylphosphine ligands. 14
Zanello, P. Electrochemical investigations of cationic trans-haloarylisocyanidebis(tertiaryphosphino)platinum(II) complexes (correction). 256
Zanello, P. Electrochemical behavior of cis-dichloro(arylisocyanide) (tertiary-phosphine)platinum(II) and palladium(II) complexes in an aprotic solvent (correction). 382
Zanello, P. Electrochemical investigations of cationic trans-halo(aryl isocyanide)bis(tertiary phosphino)platinum(II) complexes. 45
Zanello, P. Electrochemical behavior of cis-dichloro(arylisocyanide)(tertiaryphosphine)platinum(II) and palladium(II) complexes in an aprotic solvent. 226
Zannini, P. Metal ligand bonding in benzeneseleninato complexes of p- and d-block metals. 200
Zhilyaeva, E. I. Electroconductive salts of tetramethyltetrathiafulvalene containing cupro- and cuprichloride anions. 189
Zubieta, J. The preparation and crystal structure of the five-coordinate molybdenum bishydrazido (2-)-complex, $[MoCl(NNMe_2)_2(PPh_3)_2]^+$. 316

Keyword Index

The annual author and keyword indexes were prepared by the Chemical Abstracts Service. Accordingly, abbreviations occuring in the index entries are those regularly used in Chemical Abstracts.

Acetamide
  pyridylmethyl aminoethylthio copper cobalt correction 124
Acetonitrile
  iron complex 193
Acetonitrilenitrosylphenylphosphineiridium
  fluorophosphate structure 21
Acid
  dihydrazide uranyl condensation diketone 85
  reaction tungsten isocyanide complex 281
Acylhydrazone
  diacetyl pyridine metal complex 77
Alanine
  copper CD ESR 340
Alc
  oxidn silver perchlorate 259
Alizarin
  complex nitrobenzene redn 123
Alkylation
  palladium ethylene complex 379
Alkylimidazole
  salt copper ESR 353
Amination
  redn cyclohexanone catalyst 134
Amine
  phosphine thiocarbonyl rhodium complex 327
Amino
  acid carbonyl rhodium complex 186
  acid copper CD ESR 340
Aminocarboxylato
  nickel substitution LFER 111
Aminohydroxyphenylthiadiazole
  transition metal complex 60
Aminoisoxazole
  manganese complex 176
Aminomethylethane
  cobalt nickel complex 269
Aminorhodanine
  palladium platinum complex 350
Aminothiophenol
  salicylaldehyde Schiff base copper 220
Ammonia
  metal isocyanide reaction alc 281
Anion
  exchanger sorption cobalt halide 266
Antimony
  palladium bipyridine complex 284
Aquation
  carbonato cobalt rate 252
  chlorocobalt mechanism 212
  salicylato imidazole cobalt 183
Aroylhydrazone
  salicylaldehyde methoxybenzaldehyde nickel complex 168
Arsine
  palladium bipyridine complex 284
  phenylenebis nickel cobalt halo 299
Arylcarboxylate
  quinoline isoquinoline cobalt complex 365
Aurichalcite
  stability aq equil 3
Azide
  titanium 49
Benzaldehyde
  methoxy aroylhydrazone nickel complex 168
Benzeneseleninato
  tin silver iron complex 262
Benzil
  dioximato rhodium carbonyl 83
Benzoin
  oximato rhodium carbonyl 83
Benzoiridaindanone
  complex 222
Benzoquinoline
  transition metal complex 206
Benzoylacrylate
  phenylphosphine nickel structure 129
Benzoylation
  methyl acrylate nickel 129
Benzoylpivaloylmethanato
  dioxane copper complex 337
Benzoylpyridiniomethanide
  methylglyoximato cobalt structure 35
Bipyridazine
  iron dissocn rate 321
Bipyridine
  carbonyl ruthenium 317
  cyano nitrosyl vanadate 122
  dioxide transition metal complex 373
  oxalato copper complex interconversion 314
  oxide thorium complex 237
  palladium complex 284
  ruthenium pentafluorophenylthiolato 247
  uranyl complex 8 coordinate 303
Bipyridineamine
  uranyl complex 8 coordinate 303
Biuret
  dithio iron complex 52
Bromide
  substitution chloro amine gold 108
Bromoplatinate
  dibenzotetrathiofulvalene 63
Butadiene
  cobalt cocondensation 98
Cadmium
  acylhydrazone diacetylpyridine complex 77
  benzoquinoline complex 206
  bipyridine dioxide complex 373
  carbamoylpyrazole complex 346
  tetramethyl EDTA complex 230
Carbamoylpyrazole
  transition metal complex 346
Carbazato
  copper complex 161
Carbene
  molybdenum tungsten complex reactivity 55
Carbonato
  cobalt aquation rate 252
Carbonyl
  amino acid rhodium complex 186
  fluoromethanesulfonato ruthenium substitution reaction 317
  phosphine vanadium shielding symmetry 214
  rhodium alkyl sulfoxide sulfide 244
  rhodium oximato complex 83
  tungsten cyclooctatetraene photolysis 158
Carboxylate
  alkylation palladium ethylene complex 379
Carboxylic
  ligand copper mixed complex 30
Carbyne
  molybdenum tungsten complex reactivity 55
Catalyst
  rhodium silane silanol reaction 125
Catecholato
  platinum palladium 149
Cation
  thio ether addn platinum 191
Cationic
  rhodium diolefin complex review 65
  rhodium diolefin complex review correction 256
CD
  ESR copper amino acid 340
  triazacyclononane cobalt nickel complex 269
Chelate
  iron dissocn rate 321
  ring copper carboxylic ligand 30
Chem
  redn molybdate oxo EDTA 117
Chloride
  copper TTF salt 189
Chloro
  isocyanide methyldiphenylphosphine complex electroredn 226
  methoxy bridged palladium complex 378
Chlorocobalt
  aquation mechanism 212
Chlororhenate
  dibenzotetrathiofulvalene 63
Cobaloxime
  catalyst amination cyclohexanone 134
Cobalt
  acylhydrazone diacetylpyridine complex 77
  aminoethylthio pyridylmethyl acetamide complex correction 124
  aminohydroxyphenylthiadiazole complex 60
  arylcarboxylate quinoline isoquinoline complex 365
  benzoquinoline complex 206
  benzoylpyridiniomethanide methylglyoximato structure 35
  bipyridine dioxide complex 373
  butadiene cocondensation 98
  carbamoylpyrazole complex 346
  chelate decarboxylation acid 252
  diketone complex dipole moment 17
  dioxadiazacyclopentadecadiene complex 250
  EDDA chloro aquation 212
  halide anion exchange spectroscopy 266
  halo phenylenebisarsine complex 299
  imidazolidinethione complex 42
  macrocycle diamide complex 232
  phenyl 14
  salicylato aquation hydrolysis 183
  tetramethyl EDTA complex 230
  triazacyclononane trisaminomethylethane complex 269
Cocondensation
  butadiene cobalt 98
Cond
  elec dibenzotetrathiofulvalene chlororhenate bromoplatinate 63
  elec gold thioamide halo 10
  elec TTF salt 189
  elec vanadium titanium oxide 139
  manganese phenyloxazole 105
Condensation
  uranyl acid dihydrazide diketone 85
Coordination
  macrocycle diamide metal 232
  5 hydrazido molybdenum tungsten 316
  8 uranyl bipyridine nitrato 303
Copper
  acylhydrazone diacetylpyridine complex 77
  alkylimidazole salt ESR 353
  amino acid CD ESR 340
  aminoethylthio pyridylmethyl acetamide complex correction 124
  aminohydroxyphenylthiadiazole complex 60
  benzoquinoline complex 206
  benzoylpivaloylmethanato dioxane complex 337
  bipyridine dioxide complex 373
  carbamoylpyrazole complex 346
  carbazato complex 161
  chloride TTF salt 189
  diketone complex dipole moment 17
  dioxadiazacyclopentadecadiene complex 250
  fluoropentanedionato ethylenesalicylideneaminato structure 180
  glycyl methioninato 120
  macrocycle diamide complex 232
  NTA hydroxynaphthoate stability 1
  oxalato bipyridine complex interconversion 314
  oxidn donor acceptor solvent 193
  phenylenediamine mixed complex stability 30
  pyridyl ketoxime complex 113
  pyridylmethyl thiodiacetamide complex correction 124
  Schiff base complex 220
  Schiff base substitution reaction 272
  tetramethyl EDTA complex 230
  thiocarbohydrazone complex 293
  zinc carbonate hydroxide mineral 3
  1 imidazolidinethione complex 362
Crystal
  field cobalt imidazolidinethione complex 42
  structure benzoiridaindanone complex 222
Cupferronato
  rhodium carbonyl 83
Cupric
  salt redn thiocarbohydrazone 293
Cuprochloride
  TTF salt cond 189
Cyanate
  transition metal triazole 368
Cyanide
  substitution nickel chelate LFER 111
Cyano
  diimine iron complex MO 376
  nitrosyl bipyridine phenanthroline vanadate 122
Cyanotetrazole
  transition metal complex 240
Cyclohexanone
  redn amination catalyst 134
  semicarbazone iron Moessbauer 80
  thiosemicarbazone nickel halo complex 257
Cyclometalation
  reaction aryl iridium complex 222
Cyclooctadiene
  rhodium pentafluorophenylthiolato 247
Cyclooctatetraene
  tungsten carbonyl photolysis 158
Cyclooctatetraenetetracarbonyltungsten
  prepn photolysis 158
Cyclopentadienyl
  methyl titanium dithiocarbmato 209
Cyclopentadienyltitanium
  dichloride redn mechanism 5
Cyclotrimerization
  catalyst cobalt phenylacetylene 98
Cysteine
  zinc system 297
Cystine
  zinc system 297
Decarboxylation
  rhodium carboxylate 305
Decompn
  thermal transition metal aminohydroxyphenylthiadiazole 60
Deprotonation
  thiocarbohydrazone nickel chelate 293
Diamide
  macrocycle ionization coordination metal 232
Dicyclopentadiene
  rhodium pentafluorophenylthiolato 247
Dihydrazide
  acid uranyl condensation diketone 85
Diimine
  cyano iron complex MO 376
Diketone
  condensation uranyl acid dihydrazide 85
  hydroxyimino rhodium complex 152
  thio complex dipole moment 17
Dimerization
  electrochem platinum isocyanide phosphine 45
Diolefin
  cationic rhodium complex review 65
Dioxane
  benzoylpivaloylmethanato copper complex 337

Dipole
moment thio diketone complex 17
Dissocn
rate iron chelate 321
Dithiene
transition metal electron delocalization 318
Dithiobiuret
iron complex 52
Dithiocarbamate
hafnium cyclopentadienyl 145
Dithionato
transition metal electron delocalization 318
Dithionite
redn molybdate oxo EDTA 117
DMF
copper iron complex 193
EDDA
cobalt chloro aquation 212
EDTA
molybdate chem electrochem redn 117
tetramethyl transition metal complex 230
Elec
cond dibenzotetrathiofulvalene chlororhenate bromoplatinate 63
cond gold thioamide halo 10
Electrochem
reaction platinum isocyanide phosphine 45
reaction platinum isocyanide phosphine correction 256
redn platinum palladium complex 226
Electron
delocalization metal dithionato dithiene 318
EPR
copper benzoylpivaloylmethanato dioxane complex 337
ESR
CD copper amino acid 340
copper alkylimidazole salt 353
Ester
alkylation palladium ethylene complex 379
Ethanol
reaction molybdenum tungsten isocyanide 281
Ethylene
palladium complex alkylation 379
phosphine platinum addn sulfonium 191
Ethylenesalicylideneaminato
fluoropentanedionato copper structure 180
Ferrate
ion IR visible 164
Fluoromethanesulfonato
ruthenium carbonyl substitution reaction 317
Fluoropentanedionato
ethylenesalicylideneaminato copper structure 180
Fluorophenylthiolato
ruthenium rhodium palladium complex 247
Fluorophosphate
acetonitrilenitrosylphenylphosphineiridium structure 21
Formazan
nickel palladium platinum complex 357
Free
energy rosasite aurichalcite 3
Furanaldoxime
palladium complex 277
Furil
dioximato rhodium carbonyl 83
Gallium
halo cyclopentadienetitanium 160
Glycyl
methioninato copper 120
Glyoximato
rhodium carbonyl 83
Gold
amine chloro substitution bromide 108
thioamide halo 10
Hafnium
dithiocarbamate cyclopentadienyl 145
Halide
cobalt anion exchange spectroscopy 266
Halo
thioamide gold 10
Halometallate
cyclopentadiene titanium 160
Halophenylphosphinerhodium 305
Hydrazide
uranyl condensation ketone 85
Hydrazido
dineg molybdenum tungsten complex 316
Hydrazine
pyridylmethylene salicyloyl molybdenum isomerism 172
Hydrazone
acyl diacetylpyridine metal complex 77
aroyl benzaldehyde nickel complex 168
Hydroborate
redn molybdate oxo EDTA 117
Hydrocarbon
metal isocyanide reaction alc 281
Hydrolysis
salicylato imidazole cobalt 183
thiocarbohydrazone 293
Hydroxyethyloxamide
nickel sodium structure 330
Hydroxyimino
diketone rhodium complex 152
Hydroxyphenyl
amino thiadiazole metal complex 60
Imidazole
deriv salt copper UV 353
Imidazolidinethione
cobalt complex 42
copper 1 complex 362
platinum complex 154
Indium
halo cyclopentadienetitanium 160
Insertion
carbon monoxide iridium complex 222
Ionization
macrocycle diamide 232
IR
copper benzoylpivaloylmethanato dioxane complex 337
ferrate ion 164
gold thioamide halo 10
iron dithiobiuret complex 52
Raman metal oxamide 88
spectra TTF cuprochloride salt 189
UV manganese phenyloxazole 105
visible manganese selenito complex 235
Iridium
metallocyclo 222
nitrosyl phosphine acetonitrile structure 21
phenanthroline phenylphosphine structure 102
Iron
aminohydroxyphenylthiadiazole complex 60
benzeneseleninato complex 262
caramoylpyrazole complex 346
chelate dissocn rate 321
cyclohexanone semicarbazone Moessbauer 80
diimine cyano complex 376
diphenyl 14
dithiobiuret complex 52
oxidn donor acceptor solvent 193
tetramethyl EDTA complex 230
thiourea thiocynate structure 26
Isocyanate
titanium 49
Isocyanide
methyldiphenylphosphine palladium platinum electroredn 226
molybdenum tungsten reaction alc 281
phosphine platinum electrochem reaction 45
Isomerism
benzaldehyde aroylhydrazone nickel 168
formazan nickel complex 357
salicyloyl pyridylmethylene hydrazine molybdenum 172
Isonitrile
molybdenum tungsten complex 55
Isoquinoline
arylcarboxylate cobalt complex 365
Isoselenocyanate
titanium 49
Isothiocyanate
titanium 49
Isotope
effect aquation carbonatocobalt 252
Isoxazole
manganese complex 176
Isoxazoleamine
manganese complex 176
Ketone
condensation uranyl hydrazide 85
hydroxyimino rhodium complex 152
Ketoxime
pyridyl complex copper 113
Lead
benzeneselinato complex 200
LFER
cyanide substitution nickel chelate 111
Ligand
field bipyridine dioxide complex 373
Lutidine
oxide thorium complex 95
Macrocycle
diamide ionization coordination metal 232
oxygen nitrogen metal complex 250
Magnetic
property manganese phenyloxazole 105
Magnetism
copper Schiff base complex 220
Malachite
rosasite isomorphous series 3
Manganese
carbamoylpyrazole complex 346
isoxazole isoxazoleamine complex 176
phenyloxazole IR UV 105
selenito complex IR visible 235
soap thermolysis kinetics 39
tetramethyl EDTA complex 230
Mass
spectra copper benzoylpivaloylmethanato dioxane complex 337
spectrum thio diketone complex 17
spectrum thio diketone complex correction 256
Mechanism
redn dicyclopentadienyltitanium dichloride 5
Mercury
benzoquinoline complex 206
electrochem reaction platinum complex 45
tetramethyl EDTA complex 230
Metal
oxamide IR Raman 88
Metallocyclo
iridium 222
Methanol
reaction molybdenum tungsten isocyanide 281
Methioninato
glycyl copper 120
Methoxy
chloro bridged palladium complex 378
Methoxybenzaldehyde
aroylhydrazone nickel complex 168
Methyl
cyclopentadienyl titanium dithiocarbmato 209
Methylamine
metal isocyanide reaction alc 281
Methylcobaloxime
pyridinium ylide structure 35
Methyldiphenylphosphine
isocyanide palladium platinum electroredn 226
Methylglyoximato
benzoylpyridiniomethanide cobalt structure 35
MO
iron diimine cyano complex 376
vanadium phosphine carbonyl NMR 214
Moessbauer
iron cyclohexanone semicarbazone 80
iron dithiobiuret complex 52
iron sulfoxide complex 193
Mol
structure acetonitrilenitrosylphenylphosphineiridium fluorophosphate 21
structure benzoiridaindanone complex 222
structure benzoylacrylate phenylphosphine nickel 129
structure benzoylpyridiniomethanide methylglyoximato cobalt 35
structure fluoropentanedionato ethylenesalicylideneaminato copper 180
structure nickel hydroxyethyloxamide sodium 330
structure nitrosylphenanthroline phenylphosphine iridium 102
structure thiourea iron thiocynate 26
Molybdate
EDTA chem electrochem redn 117
Molybdenum
carbyne isonitrile complex 55
dineg hydrazido complex 316
isocyanide complex reaction methanol 281
pyridylmethylenesalicyloylhydrazine 172
Naphthoate
NTA transition metal stability 1
Nickel
acylhydrazone diacetylpyridine complex 77
aminohydroxyphenylthiadiazole complex 60
benzoquinoline complex 206
benzoylacrylate phenylphosphine structure 129
bipyridine dioxide complex 373
carbamoylpyrazole complex 346
chelate cyanide substitution LFER 111
diketone complex dipole moment 17
diketone complex dipole moment correction 256
dioxodiazacyclopentadecadiene complex 250
dithionato dithiene electron delocalization 318
formazan complex 357
halo cyclohexanone thiosemicarbazone complex 257
halo phenylenebisarsine complex 299
hydroxyethyloxamide sodium structure 330
macrocycle diamide complex 232
NTA hydroxynaphthoate stability 1
pyridylmethyl thiodiacetamide complex correction 124
salicylaldehyde methoxybenzaldehyde aroylhydrazone complex 168
Schiff base substitution reaction 272
tetramethyl EDTA complex 230
thiocarbohydrazone complex 293
triazacyclononane trisaminomethylethane complex 269
Nitrato
bipyridine uranyl coordination 8 303
Nitrobenzene
redn alizarin complex 123
Nitrosyl
cyano bipyridine phenanthroline vanadate 122
phosphine acetonitrile iridium structure 21
Nitrosylphenanthroline
phenylphosphine iridium structure 102
NMR
metal dithionato dithiene 318
vanadium shielding phosphine carbonyl 214
Norbornadiene
rhodium pentafluorophenylthiolato 247
NTA
naphthoate transition metal stability 1
Oxalato
bipyridine copper complex interconversion 314
Oxamic
platinum blue formation mechanism 204
Oxamide
metal IR Raman 88
Oxidative
addn sulfide cation platinum 191
Oxide
bipyridine phenanthroline thorium complex 237
lutidine thorium complex 95
vanadium titanium thermoelectricity 139
Oxidn
alc silver perchlorate 259
copper iron ligand solvent 193
electrochem platinum isocyanide phosphine 45
electrochem platinum isocyanide phosphine correction 256
Oximato
rhodium carbonyl complex 83
Oxime
furanaldehyde palladium complex 277
pyridyl copper complex 113
Palladium
acylhydrazone diacetylpyridine complex 77
alizarin nitrobenzene redn 123
aminorhodanine complex 350
bipyridine complex 284
catecholato 149
dithionato dithiene electron delocalization 318
ethylene complex alkylation 379
fluorophenylthiolato complex 247
formazan complex 357
furanaldoxime complex 277

isocyanide methyldiphenylphosphine complex electroredn 226
isocyanide methyldiphenylphosphine complex electroredn correction 382
methoxy chloro bridged complex 378
pyrazole halo complex 73
thiadiazonine complex 333
thiohydantoin complex 324
Phenanthroline
benzaldehyde aroylhydrazone nickel 168
carbonyl ruthenium 317
cyano nitrosyl vanadate 122
oxide thorium complex 237
phenylphosphine iridium structure 102
Phenylacetylene
cyclotrimerization catalyst cobalt 98
Phenylcobalt
complex 14
Phenylenediamine
copper mixed complex stability 30
Phenyloxazole
manganese IR UV 105
Phenylphosphine
benzoylacrylate nickel structure 129
phenanthroline iridium structure 102
Phosphene
butadiene cobalt complex 98
Phosphine
amine thiocarbonyl rhodium complex 327
carbonyl vanadium shielding symmetry 214
dineg hydrazido molybdenum tungsten 316
ethylene platinum addn sulfonium 191
halophenyl rhodium 305
methyldiphenyl isocyanide complex electroredn 226
nitrosyl acetonitrile iridium structure 21
palladium bipyridine complex 284
palladium pentafluorophenylthiolato 247
platinum isocyanide electrochem reaction 45
rhenium oxo halo salicylideneiminato 289
Photoelectron
spectra x ray TTF 189
Photolysis
tungsten carbonyl cyclooctatetraene 158
Platinate
pentabromo methyl sulfide dibenzotetrathiafulvalene 63
Platinum
addn thio ether cation 191
alizarin nitrobenzene redn 123
aminorhodanine complex 350
blue oxamic formation mechanism 204
catecholato 149
dithionato dithiene electron delocalization 318
formazan complex 357
imidazolidine pyrimidine thione complex 154
isocyanide methyldiphenylphosphine complex electroredn 226
isocyanide methyldiphenylphosphine complex electroredn correction 382
isocyanide phosphine electrochem reaction 45
pyrazole halo complex 73
thiadiazonine complex 333
thiohydantoin complex 324
Polarog
redn molybdate oxo EDTA 117
Pyrazole
carbamoyl transition metal complex 346
platinum palladium complex 73
Pyridine
benzaldehyde aroylhydrazone nickel 168
diacetyl acylhydrazone metal complex 77
Pyridinium
ylide methylcobaloxime structure 35
Pyridyl
ketoxime complex copper 113
Pyridylmethylenesalicyloylhydrazine
molybdenum 172
Pyrimidinethione
platinum complex 154
Pyrrolealdimine
copper nickel substitution 272
Quinoline
arylcarboxylate cobalt complex 365
Quinolinolato
rhenium oxo halo phosphine 289
Raman
metal oxamide 88
Reaction
electrochem platinum isocyanide phosphine 45
Redn
amination cyclohexanone catalyst 134
chem electrochem molybdate EDTA 117
cupric salt thiocarbohydrazone 293
dicyclopentadienyltitanium dichloride mechanism 5
electrochem platinum isocyanide phosphine 45
electrochem platinum isocyanide phosphine correction 256
electrochem platinum palladium complex 226
electrochem platinum palladium complex correction 382
Review
cationic rhodium diolefin complex 65
cationic rhodium diolefin complex correction 256
Rhenate
hexachloro dibenzotetrathiofulvalene 63
Rhenium
salicylideneiminato oxo halo phosphine 289
Rhodanine
amino palladium platinum complex 350
Rhodium
alkyl sulfoxide sulfide carbonyl 244
carbonyl amino acid complex 186
carbonyl oximato complex 83
catalyst silane silanol reaction 125
cationic diolefin complex review 65
complex catalyst amination cyclohexanone 134
diolefin complex review cationic correction 256
fluorophenylthiolato complex 247
halophenyl phosphine 305
hydroxyimino diketone complex 152
thiocarbonyl phosphine amine complex 327
Rosasite
stability aq equil 3
Ruthenium
fluoromethanesulfonato carbonyl substitution reaction 317
fluorophenylthiolato complex 247
Salicylaldehyde
aminothiophenol Schiff base copper 220
aroylhydrazone nickel complex 168
Salicylaldimine
copper nickel substitution 272
Salicylaldoximato
rhodium carbonyl 83
Salicylato
cobalt aquation hydrolysis 183
Salicylideneiminato
rhenium oxo halo phosphine 289
Salicyloyl
pyridylmethylene hydrazine molybdenum isomerism 172
Schiff
base copper complex 220
base rhenium oxo phosphine 289
base substitution reaction copper 272
Seleninato
benzene tin silver iron 262
lead zirconium complex 200
Selenito
manganese complex IR visible 235
Selenium
pseudohalide titanium 49
Shielding
vanadium phosphine carbonyl symmetry 214
Silane
silanol reaction 125
Silanol
silane reaction 125
Silver
benzeneseleninato complex 262
bipyridine dioxide complex 373
perchlorate oxidn alc 259
Soap
manganese thermolysis kinetics 39
Sodium
nickel hydroxyethyloxamide structure 330
Solvent
effect aquation chlorocobalt 212
Sorption
cobalt halide anion exchanger 266
Spectra
tTF cuprochloride salt 189
Spectroscopy
cobalt halide anion exchange 266
Stability
const nickel complex LFER 111
Stereochem
macrocycle diamide cobalt complex 232
Structure
acetonitrilenitrosylphenylphosphineiridium fluorophosphate 21
benzoylacrylate phenylphosphine nickel 129
benzoylpyridiniomethanide methylglyoximato cobalt 35
copper DMF iron acetonitrile 193
copper 1 imidazolidinethione complex 362
dioxodiazacyclopentadecadiene metal complex 250
fluoropentanedionato ethylenesalicylideneaminato copper 180
glycyl methioninato copper 120
molybdenum dineg hydrazido phosphine 316
molybdenum pyridylmethylenesalicyloylhydrazine 172
nickel hydroxyethyloxamide sodium 330
nitrosylphenanthroline phenylphosphine iridium 102
thiourea iron thiocynate 26
transition metal aminohydroxyphenylthiadiazole 60
Substitution
bromide chloro amine gold 108
cyanide nickel chelate LFER 111
reaction ruthenium fluoromethanesulfonato carbonyl 317
reaction Schiff base copper 272
Sulfide
alkyl rhodium carbonyl 244
methyl pentabromo platinate dibenzotetrathiafulvalene 63
org di palladium pentafluorophenylthiolato 247
Sulfonato
trifluoromethane ruthenium substitution reaction 317
Sulfonium
addn phosphine ethylene platinum 191
Sulfoxide
alkyl rhodium carbonyl 244
dimethyl iron complex 193
tetramethylene thorium complex 95
Sulfur
ligand metal electron delocalization 318
Symmetry
shielding vanadium phosphine carbonyl 214
Tautomerism
hydroxyimino ketone rhodium complex 152
TCNE
rhodium carbonyl oximato complex 83
Tetrathiafulvalene
chlororhenate bromoplatinate 63
Tetrazole
cyano transition metal complex 240
Thallium
halo cyclopentadienetitanium 160
Thermal
decompn transition metal aminohydroxyphenylthiadiazole 60
Thermoelectricity
vanadium titanium oxide 139
Thermolysis
manganese soap kinetics 39
thorium bipyridine phenanthroline oxide 237
Thiadiazole
amino hydroxyphenyl metal complex 60
Thiadiazonine
palladium platinum complex 333
Thio
diketone complex dipole moment 17
ether cation addn platinum 191
Thioamide
halo gold 10
Thiobiuret
iron complex 52
Thiocaprolactam
platinum complex 154
Thiocarbamate
cyclopentadienylhafnium 145
Thiocarbohydrazone
nickel copper complex 293
Thiocarbonyl
rhodium phosphine amine complex 327
Thiocyanate
transition metal triazole 368
Thiocynate
thiourea iron structure 26
Thiodiacetamide
pyridylmethyl transition metal complex correction 124
Thiohydantoin
palladium platinum complex 324
Thiolate
pentafluorophenyl ruthenium rhodium palladium 247
Thione
pyrimidine imidazolidine platinum complex 154
Thiosemicarbazone
cyclohexanone nickel halo complex 257
Thiourea
iron thiocynate structure 26
Thorium
bipyridine phenanthroline oxide complex 237
lutidine oxide tetramethylene sulfoxide 95
Tin
benzeneseleninato complex 262
tetramethyl EDTA complex 230
Titanium
cyclopentadiene halometallate 160
dicyclopentadienyldichloro redn mechanism 5
isocyanate isothiocyanate isoselenocyanate 49
methyl cyclopentadienyl dithiocarbmato complex 209
vanadium oxide thermoelectricity 139
Transition
metal aminohydroxyphenylthiadiazole complex 60
metal benzoquinoline complex 206
metal bipyridine dioxide complex 373
metal carbamoylpyrazole complex 346
metal cyanate thiocyanate triazole 368
metal cyanotetrazole complex 240
metal tetramethyl EDTA complex 230
Triazacyclononane
cobalt nickel complex 269
Triazole
transition metal cyanate thiocyanate 368
TTF
cuprochloride salt cond 189
Tungsten
carbonyl cyclooctatetraene photolysis 158
carbyne isonitrile complex 55
dineg hydrazido complex 316
isocyanide reaction acid methanol 281
Uranyl
acid dihydrazide condensation diketone 85
acylhydrazone diacetylpyridine complex 77
complex 8 coordinate 303
UV
copper benzoylpivaloylmethanato dioxane complex 337
copper imidazole deriv salt 353
copper nickel Schiff base 272
spectra TTF cuprochloride salt 189
Vanadate
cyano nitrosyl bipyridine phenanthroline 122
Vanadium
shielding symmetry phosphine carbonyl 214
titanium oxide thermoelectricity 139
Visible
ferrate ion 164
manganese selenito complex 235
spectra TTF cuprochloride salt 189
X
ray photoelectron spectra TTF 189
Ylide
pyridinium methylcobaloxime structure 35
Zinc
acylhydrazone diacetylpyridine complex 77
aminohydroxyphenylthiadiazole complex 60
benzoquinoline complex 206
bipyridine dioxide complex 373
carbamoylpyrazole complex 346
copper carbonate hydroxide mineral 3
diketone complex dipole moment 17
diketone complex dipole moment correction 256
NTA hydroxynaphthoate stability 1
system cysteine cystine 297
Zirconium
benzeneseleninato complex 200

© Verlag Chemie GmbH, D-6940 Weinheim, 1980. – Printed in the Federal Republic of Germany by Schwetzinger Verlagsdruckerei GmbH, D-6830 Schwetzingen. – All rights reserved (including those of translations into foreign languages). No part of this journal may be reproduced in any form – by photoprint, microfilm, or any other means – nor transmitted or translated into a machine language without the permission in writing of the publishers. Only single copies of contributions, or parts thereof, may be reproduced for personal use. Copies reproduced and used other than for private purposes in an industrial or commercial undertaking are subject to copyright and, in such cases a copyright fee must be paid to the VG WORT, Abteilung Wissenschaft, Goethestraße 49, D-8000 München 2, from whom conditions of payment can be obtained on request. Registered names, trademarks, etc. used in this journal, even without specific indication thereof, are not be considered unprotected by law. Subscription Price: Volume 5 (1980) DM 320.– (plus postage); Single copies: DM 68,–; Editor-in-Chief: Dr. D. R. M. Walton, Univ. of Sussex, School of Molecular Sciences, Brighton BN1 9QJ, England; Advertising Manager: H. Both, D-6940 Weinheim; Published by Verlag Chemie GmbH, (Managing Directors Dr. Helmut Grünewald and Hans Schermer), Pappelallee 3, P. O. Box 1260/1280, D-6940 Weinheim, Germany. Telephone Weinheim (06201) 1 40 31, Telex 465 516 vchwh d.
Transition Metal Chemistry does not publish book reviews; books submitted for review will not be returned.